

SPECIFICATION

Range: **SPEECH**

Design: **Caimi Lab**


Codes: **1SL0710-C, 1SL1215-C (writable surface)**

Dimensions:


1SL0710-C: L 73 cm x P 60 cm x H 190 cm – writable surface size 70 cm x 100 cm

1SL1215-C: L 123 cm x P 60 cm x H 190 cm – writable surface size 120 cm x 150 cm

Description: Top in glossy white laminate, writable with dry markers. Bases in polished cast aluminium with subsequent manual finishing equipped with castors with brake. Structure in chrome-plated tubular steel \varnothing 28 mm. Accessorizable with block notes holder cod. 1ME204 and marker holder cod. 1SL/PP-BO.



1SL0710-C



1SL1215-C


Codes: **1SLM0710-C, 1SLM1215-C (writable surface)**

Dimensions:


1SLM0710-C: L 73 cm x P 60 cm x H 190 cm – writable surface size 70 cm x 100 cm

1SLM1215-C: L 123 cm x P 60 cm x H 190 cm – writable surface size 120 cm x 150 cm

Description: **MAGNETIC** writing top in glossy white laminate, writable with dry markers. Bases in polished cast aluminium with subsequent manual finishing equipped with castors with brake. Structure in chrome-plated tubular steel \varnothing 28 mm. Accessorizable with block notes holder cod. 1ME204 and marker holder cod. 1SL/PP-BO.



1SLM0710-C




1SLM1215-C

Codes: **1ME204 (sheets of paper support)**

Dimensions: L 65 cm x P 2,5 cm x H 8 cm

Description: Support made of epoxy powder-coated steel with chrome-plated steel front knobs that allow to lock the sheets of paper and the hooking/unhooking to the writable shelves cod. 1SL0710-C, 1SL1215-C, 1SLM0710-C, 1SLM1215-C




1ME204



Codes: **1SL/PP-BO (penholder)**

Dimensions: \varnothing 5 cm x H 10 cm

Description: Penholder made of epoxy powder-coated steel. It can be fixed in the rear part of the structure of the writing surfaces cod. 1SL0710-C, 1SL1215-C, 1SLM0710-C, 1SLM1215-C



1SL/PP-BO



Code: **1SL1216-C (writable surface with sound absorbing panel)**



Dimension:

1SL1216-C: L 123 cm x P 60 cm x H 190 cm – writable surface size 120 cm x 150 cm

Description: Top in glossy white laminate, writable with dry markers. Bases in polished cast aluminium with subsequent manual finishing equipped with castors with brake. Structure in chrome-plated tubular steel \varnothing 28 mm. Accessorizable with block notes holder cod. 1ME204 and marker holder cod. 1SL/PP-BO.

Fitted with a sound-absorbing sheet made from Snowsound Fiber Textiles Melange 3 fixed to the structure by Velcro.

Fabric in class 1 Italy reaction to fire class according to test methods UNI 8456 and UNI 9174 and Euroclass B-s1,d0, according to test methods UNI EN 13501-1 carried out in conformity to UNI EN ISO 11925-2 and UNI EN 13823.



Code: **1SLM1216-C (writable surface with sound absorbing panel)**



Dimensions:

1SLM1216-C: L 123 cm x P 60 cm x H 190 cm – writable surface size 120 cm x 150 cm

Description: MAGNETIC writing top in glossy white laminate, writable with dry markers. Bases in polished cast aluminium with subsequent manual finishing equipped with castors with brake. Structure in chrome-plated tubular steel \varnothing 28 mm. Accessorizable with block notes holder cod. 1ME204 and marker holder cod. 1SL/PP-BO.

Fitted with a sound-absorbing sheet made from Snowsound Fiber Textiles Melange 3 fixed to the structure by Velcro.


Fabric in class 1 Italy reaction to fire class according to test methods UNI 8456 and UNI 9174 and Euroclass B-s1,d0, according to test methods UNI EN 13501-1 carried out in conformity to UNI EN ISO 11925-2 and UNI EN 13823.



Codes: **1SP07-CBO / 1SP07-CN (lectern)**

Dimensions: L 67 cm x P 60 cm x H 120 cm – top dimensions 60 cm x 52 cm

Description: Lectern with aluminium top epoxy powder-coated steel, equipped with an inclined part to support the sheets or the tablet and a flat part (with hole for the passage of cables) to support the microphone, the remote control or glasses, water bottles etc.. Bases in polished cast aluminium with subsequent manual finishing, complete with wheels with brake. Structure in chrome-plated tubular steel ø 28 mm. Accessorized with cable holder cod. 1SP07/PC-BO and 1SP07/PC-N and display cod. 1SP07/S.



**1SP07-CBO
1SP07-CN**



1SP07-CBO




1SP07-CN




Codes: **1SP07/PC-BO / 1SP07/PC-N (cable housing)**

Dimensions: L 42 cm x P 13 cm x H 10 cm

Description: Cable housing tray made of epoxy powder-coated steel applicable under the lectern top cod. 1SP07-CBO / 1SP07-CN complete with 4 translucent technopolymer fair-lead rings applicable to the side support tubes of the lectern itself.



4 pz.
4 pcs




**1SP07/PC-BO
1SP07/PC-N**



Codes: **1SP07/S (display)**

Dimensions: L 65 cm x H 20 cm

Description: Transparent methacrylate display for lectern cod. 1SP07-CBO / 1SP07-CN.




1SP07/S


Codes: **1SS12-C (clothes stand)**

Dimensions: L 123 cm x P 60 cm x H 180 cm

Description: mobile clothes stand on wheels, bases in polished cast aluminium with subsequent manual finishing complete with castors equipped with brakes. Structure made up of sides and connecting beams in chrome-plated steel tube \varnothing 28 mm.



Clothes stand rod detail



Codes: **1SD12-XXX (sound absorbing divider)**

Dimensions: L 123 cm x P 60 cm x H 180 cm

Description: mobile divider on castors, bases in polished cast aluminium with subsequent manual finishing, complete with castors equipped with brakes. Structure made up of sides and connecting crossbeams in chrome-plated steel tube \varnothing 28 mm. Snowsound Fiber Textiles 3 soundproof fabric cover. The fabric is fixed to the upper crossbar by two metal buttons and to the lower crossbar by Velcro. Fabric in class 1 Italy reaction to fire class according to test methods UNI 8456 and UNI 9174 and Euroclass B-s1,d0, according to test methods UNI EN 13501-1 carried out in conformity to UNI EN ISO 11925-2 and UNI EN 13823.



Detail of metal button




Detail of Velcro strap for fastening to the bottom tube



XXX = color option

Available colors:



Snowsound Fiber Textiles Melange 3
1SD12-300



Snowsound Fiber Textiles Melange 3
1SD12-305



Snowsound Fiber Textiles Melange 3
1SD12-306



Snowsound Fiber Textiles Melange 3
1SD12-310

Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures are purely as an indication.

Code: **1STR12-C (room divider)**

Dimensions: L 192 cm x P 60 cm x H 100 cm

Descrizione: mobile room divider on castors, bases in polished cast aluminium with subsequent manual finishing, complete with castors equipped with brakes. Structure made up of sides and lower connecting crossbeam in chrome-plated steel tube \varnothing 28 mm. Upper connecting crossbeam in chrome-plated steel tube \varnothing 40 mm. equipped with chrome-plated steel rings for attaching cord code 1STR/C-N.



1STR12-C

Code: **1STR/C-N (cord)**

Dimension: L 100 cm

Descriptions: black technopolymer cord, with satin-finish stainless steel terminals at both ends and galvanized and satin-finish zamak carabiners.



1STR/C-N

